



Shawn Roberts
<eroberts@LOSANGE
LES.KOMEX.com>

04/29/2003 06:18 PM

To: Pauletta France-Isetta/SUPR/R7/USEPA/US@EPA
cc:
Subject: Missouri Electric Works, Superfund Site: Feb 2003 Data Package

Dear Pauletta,

Attached is a pdf of the data package for the February 2003 sampling event, the hard copy will be sent tomorrow. Conversion of the figures to pdf tends to mess up the smaller text but that will NOT be present with the hard copy as I will print direct from the graphics package. Tables 3, 4 and Figures 2, 4, 5 will all be printed as 11x17. Included in the package are the following (Appendix A and B not included in the attached pdf):

- Table 1 - Groundwater well construction details;
- Table 2 - Groundwater Elevation Data;
- Table 3 - Groundwater Analytical Results - Organic Compounds - This includes both well and spring samples;
- Table 4 - Groundwater Analytical Results - QA/QC Results;
- Figure 1 - Site Location Map;
- Figure 2 - Site Plan;
- Figure 3 - Well Hydrographs;
- Figure 4 - Groundwater Potentiometric Surface for February 3, 2003;
- Figure 5 - Groundwater Organic Compound Concentrations for February 2003;

Appendix A - Field Data;

Appendix B - Raw lab data.

If you have any questions please contact me via email or phone and I will gladly help.

Regards,

Shawn Roberts
Hydrogeologist

Missouri Electric Works
Site ID: MOD980965982
Break: 7.1



2045045

KOMEX

5455 Garden Grove Blvd., Second Floor
Tel: 714.379.1157.166

Fax: 714.379.1160

Westminster, California 92683 USA
Cell: 714.655.7411

PRIVILEGED AND CONFIDENTIAL

This message is intended only for the use of the individuals or entity to which it is addressed and may contain information that is privileged,

MEW Site File
Break7_032700

confidential, and exempt from disclosure under applicable law. If the reader of this message is not the intended recipient, or the employee or agent responsible for delivering this transmittal to the intended recipient, you are hereby notified that any disclosure, dissemination, distribution, or copying of this documentation, or the taking of any action in reliance of this information, is strictly prohibited. If you have received this communication in error, please notify us immediately by telephone or email and return or delete the original message. Thank you.



20735 1.PDF

MEW Site File
Break7_032701